


Wafer Check Valve Silent Check Model 888VFD




Sizes 2" Thru 6" / 50 mm & 150 mm

Flomatic Corporation



Materials



Item #	Qty	Description	Material	ASTM
1	1	Body (Epoxy Coated)	Ductile Iron	65-45-12
2	1	Bushing	Bronze	C95400
3	1	Snap Ring	Stainless Steel	302
4	1	Spring	Stainless Steel	302
5	1	Poppet	Stainless Steel	316
6*	1	O'Ring*	EPDM	5778-70
7	1	Seat Ring	Stainless Steel	316
8	1	O'Ring	EPDM	5778-70

*RESILIENT SEATING IS STANDARD
Max Temp 220°F (104°C)

Max Inlet Pressure (150#) 200 psi (14bar)

Max Inlet Pressure (300#) 400 psi (27bar)

PATENT # 9,611,948

Dimensions

Size		Part #	A		B		C		D		Weight		# of Bolts		Bolt Size by Flange	
inch	mm		inch	mm	inch	mm	inch	mm	inch	mm	lbs	kg	150#	300#	150#	300#
2	50	2434VFD	2-13/32	61	2-5/8	67	4-1/4	108	51/64	20	4	2	4	8	5/8 x 5-1/4	5/8 x 5-1/2
2-1/2	65	2432VFD	2-43/64	68	2-7/8	73	5	127	57/64	23	6	3	4	8	5/8 x 5-1/4	3/4 x 6-1/2
3	80	2435VFD	3-1/4	83	3-1/8	79	5-3/4	146	3/4	19	9	4	4	8	5/8 x 6-1/4	3/4 x 7
4	100	2436VFD	4-1/4	108	4	102	7	178	1-3/64	27	16	7	8	8	5/8 x 7	3/4 x 8
5	125	2433VFD	5-1/4	133	4-3/4	121	8-3/8	213	1-11/32	34	21	10	8	8	3/4 x 7-3/4	3/4 x 9
6	150	2437VFD	5-29/32	150	5-1/2	140	9-3/4	248	1-27/32	47	34	15	8	12	3/4 x 8-3/4	3/4 x 10

Flomatic Corporation can accept no responsibility for possible errors in catalogues, brochures and other printed material. Flomatic Corporation reserves the right to alter its products without notices. This also applies to product already agreed. All trademarks in this material are property of the respective companies. All right reserved. ©2017 Flomatic Corporation. The drawings & information on this drawing sheet are the sole & exclusive property of Flomatic Corporation. Any reproduction, distribution, display or use of these drawings or information in whole or in part without written authorization of Flomatic Corporation is strictly prohibited.



July 20, 2016
Dwg No: S888VFD-1ST Rev E (11/17)

FLOMATIC CORPORATION
GLENS FALLS, N.Y. 12801
PHONE (518) 761-9797
FAX (518) 761-9798