


Flomatic Product Approvals

Up-Date February 9, 2017 Rev:1 (<http://pld.iapmo.org/default.aspx>)



Approved Flomatic Valve Products

- **NSF/ANSI 61** - Drinking Water System Components - Health Effects
- **NSF/ANSI 372** - Drinking Water System Components - Lead Content



Following Valve Products are NSF/ANSI 61 and 372 approved:

Up-Dated: January 19, 2017

Item	Description	Size Range	NSF/ANSI 372	NSF/ANSI 61
1	Check Valves Model 80E	1/4" thru 4"	Yes	Yes
2	Globe Style Check Valve Model 402BT	2" thru 12"	Yes	Yes
3	Globe Style Check Valve Model 402BT/402BTR	2" thru 12"	Yes	Yes
4	Globe Style Check Valve Model 402ST/402STR	2" thru 12"	Yes	Yes
5	Globe Style Check Valve Model 402S6/402S6R	2 thru 12"	Yes	Yes
6	Check Valve Model 80DI	1" thru 8"	Yes	Yes
7	Check Valve Model 80DI VFD	2" thru 8"	Yes	Yes
8	Check Valve Model 80S6	1" thru 10"	Yes	Yes
9	Check Valve Model 80S6 VFD	2" thru 8"	Yes	Yes
10	Wafer Style Check Valve Model 812X	2" thru 8"	Yes	Yes
11	Wafer Style Check Valve Model 888/888R	2" thru 10"	Yes	Yes
12	Wafer Style Check Valve Model 888ST/888STR	2" thru 10"	Yes	Yes
13	Wafer Style Check Valve Model 888S6/888S6R	2" thru 10"	Yes	Yes
14	Automatic Control Valves Series CA000	1 1/4" thru 12"	Yes	Yes
15	Automatic Control Valves Series C000	1 1/4" thru 12"	Yes	Yes
16	Pressure Reducing Valves Model C150E/ET/EBSP	1/4" thru 1 1/4"	Yes	Yes
	Spring Ranges: 15-75 psi Spring Range and 15-125 psi			

→ Please, check on-line for the latest NSF/ANSI up-dates: http://pld.iapmo.org/file_info.asp?file_no=0007060



Following **Dual Check Backflow Preventers** Products are certified to:

Item	Description	Size Range	Uniform Plumbing Code (UPC®)	International Plumbing Code (IPC®)	ASSE 1024-2004
1	Dual Check Backflow Preventers Model GF8080S6	3/4"	Yes	Yes	Yes
2	Dual Check Backflow Preventers Model GF8080S6	1"	Yes	Yes	Yes

→ Please, check on-line for the latest NSF/ANSI up-dates: http://pld.iapmo.org/file_info.asp?file_no=0007789



Following **Pressure Reducing Valves (PRV)** are certified to:

Up-Dated: December 2016

Item	Description	Size Range	Uniform Plumbing Code (UPC®)	International Plumbing Code (IPC®)	National Plumbing Code of Canada
1	PRV Model C150099E	1/2"	Yes	Yes	Yes
2	PRV Model C150000E	3/4"	Yes	Yes	Yes
3	PRV Model C150001E	1"	Yes	Yes	Yes
4	PRV Model C150001E	1 1/4"	Yes	Yes	Yes
4	PRV Model C150EHF	1 1/4"	Yes	Yes	Yes
5	PRV Model C150E	1 1/2"	Yes	Yes	Yes
6	PRV Model C150E	2"	Yes	Yes	Yes

Please, check on-line for the latest up-dates: http://pld.iapmo.org/file_info.asp?file_no=0004854

Flomatic Certified Unloaded Valve

Up-Date: Rev. 10/7/2016



Section 1417(d) of the Safe Drinking Water Act. The lead content requirements of Section 116875 of the California Health & Safety Code

NSF/ANSI 372-2016 Vermont Lead Reduction Law (Vermont Act 193), Maryland Lead Reduction Law (Maryland House Bill HB.372) Louisiana Lead Reduction Law (Louisiana House Bill HB.471)

Check Valves

Model No	Description
80E	Check Valves 1/4" to 4"
80ME	Check Valves 1" to 3"
80AE	Check Valves 3/4" to 4"
80BE	Check Valves 3/4" to 4"
80CE	Check Valves 1" to 4"
80XBE	Check Valves 1" to 2"
80HTE	Check Valves 1/4" to 4"
100E	Check Valves 3/4" to 1-1/4"
100ME	Check Valves 1" to 1-1/4"
100XLE	Check Valves 1" to 1-1/4"
100DP	Check Valves 1-1/4" x 1"
80	Check Valves 1" to 4"
100EVFD	Check Valves 1" to 4"
70P	Auto Drain 1"
70SS	Auto Drain 1"
80MDW-VFD	Deep Well Check Valves Sizes 2-3/8" to 9-5/8"
80DI-VFD	Check Valves 2" to 8"
80DI8R-VFD	Check Valves 3" to 8"
80DI	Check Valves 1" to 8"
80DIX	Check Valve 3" to 12"
80DI8R	Check Valves 3" to 8"
80DIA	Check Valves 1" to 4"
80DIB	Check Valves 1" to 4"
80 Turbo	Check Valves 6" & 10"
80MDI	Check Valves 2" to 6"
80MDI-VFD	Check Valves 2" to 6"
80DICL	Check Valves 2" to 6"
80DIMCL	Check Valves 2" to 6"
80DICL-VFD	Check Valves 3" to 8"
80DIMCL-VFD	Check Valves 3" to 8"
82DI	Check Valves 3" to 6"
82DI-VFD	Check Valves 3" to 8"
82DP	Check Valves 3" to 6"
100MDI	Check Valves 1" to 1-1/4"
Break Off Plug SS	2" to 12"
Break Off Plug P	3" to 8"
816	Check Valves 1/4" to 2" NPT, SW, BW, BSPP, MTL: 316SS, WCB, Alloy 20, Monel, Teflon
816FL	Check Valves 1" to 2" Flanged, PN10, MTL: 316SS, WCB, Alloy 20, Monel, Teflon
80SS	Check Valves 1" to 2"
80SS2	Check Valves 1" to 2"
80SSA	Check Valves 1" to 2"
80SSB	Check Valves 1" to 2"
80SSC	Check Valves 1" to 1-1/4"
80SSXA	Check Valves 1" to 1-1/4"

80SSXB	Check valves 1" to 1-1/4"
80S6CL	Check Valves 2" to 6"
80S6MCL	Check Valves 2" to 6"
80S6	Check Valves 1" to 10"
80S6-VFD	Check Valves 2" to 8"
80S6-VFD8R	Check Valves 3" to 8"
80MS6-VFD	Check Valves 2" to 8"
80S6CL-VFD	Check Valves 3" to 8"
80S6MCL-VFD	Check Valves 3" to 8"
82S6-VFD	Check Valves 3" to 8"
812X	Wafer Checks 1/4" to 8"
812J	Wafer Checks 1/2" to 4"
812XT	Wafer Checks 1/2" to 8"
80SL	Check Valves 2" to 8"
100MSS	Check Valves 1/2" to 1-1/4"
100XLSS	Check Valves 1" to 1-1/4"

Silent Check Valves

Model No.	Description
402BT	Globe Style Check Valves, Metal to Metal Seating, Sizes 2" - 12"
402BTR	Globe Style Check Valves, Metal to Metal Seating, Sizes 2" - 12"
402ST	Globe Style Check Valves, Metal to Metal Seating, Sizes 2" - 12"
402STR	Globe Style Check Valves, Metal to Metal Seating, Sizes 2" - 12"
402S6	Globe Style Check Valves, Metal to Metal Seating, Sizes 2" - 12"
402S6R	Globe Style Check Valves, Metal to Metal Seating, Sizes 2" - 12"
888	Wafer Style Check Valves, Metal to Metal Seating, Sizes 2" - 12"
888R	Wafer Style Check Valves, Metal to Metal Seating, Sizes 2" - 12"
888ST	Wafer Style Check Valves, Metal to Metal Seating, Sizes 2" - 12"
888STR	Wafer Style Check Valves, Metal to Metal Seating, Sizes 2" - 12"
888S6	Wafer Style Check Valves, Metal to Metal Seating, Sizes 2" - 10"
888S6R	Wafer Style Check Valves, Metal to Metal Seating, Sizes 2" - 10"
895	Split Disc Check Valves, Metal to Metal Seating, Sizes 2" - 10"

Swing Check Valves

Model No.	Description
78	Swing Check Valves 2-1/2" to 14"
78A	Swing Check Valves 3" to 12"
92	Swing Check 4" to 8"
92LW	Swing Check 4" to 8"
92LS	Swing Check 4" to 8"
92CS	Swing Check 4" to 8"
92R	Swing Check 4" to 8"
92LWR	Swing Check 4" to 8"
92LSR	Swing Check 4" to 8"
92CSR	Swing Check 4" to 8"
745	Swing Check 2" to 24"
745BF	Swing Check 2" to 24"
745PI	Swing Check 3" to 24"
745BFPI	Swing Check 3" to 24"

Ball Check Valves

Model No.	Description
508	Ball Check Valves 1" to 4"
508FB	Ball Check Valves 1" to 4"
408	Ball Check 2" to 14"
408FB	Ball Check 2" to 14"
408	Ball Check 3" to 8"
408FB	Ball Check 3" to 8"
77P	Auto- Vac 1" Plastic
77SS	Auto- Vac 1" Stainless Steel
208	Ball Check Valves 1-1/4" to 2"
208B	Ball Check Valves 1-1/4" to 2"
208T	Ball Check Valves 1-1/4" to 2"

Flomatic Plastic Check Valves

Model No.	Description
100MP	Check Valves 1" to 1-1/4"
901	Check Valves 3/8" to 1"
290P	Check Valves 3/8" to 3/4"
297D	Check Valves 3/8" to 1/2"

Flomatic Butterfly Valves

Model No.	Description
Kwick Close	Butterfly Valves 2" to 16"
Azure	model 45 Butterfly Valves 3" to 24" Lever Operated and with Actuator

Sylax Butterfly Valves (2" to 12")

Lug Style Body, Ductile Iron Disc & Lever
Wafer Style Body, Ductile Iron Disc & Lever
Wafer Style Body, Stainless Steel Disc & Lever
Lug Style Body, Stainless Steel Disc & Lever
Lug Style Body, Ductile Iron Disc & Bare Stem
Wafer Style Body, Ductile Iron Disc & Bare Stem
Wafer Style Body, Stainless Steel Disc & Bare Stem
Lug Style Body, Stainless Steel Disc & Bare Stem
Lug Style Body, Ductile Iron Disc & Gear
Wafer Style Body, Ductile Iron Disc & Gear
Wafer Style Body, SS Disc & Gear
Lug Style Body, SS Disc & Gear
Lug Style Body, Ductile Iron Disc & Actuator
Wafer Style Body, Ductile Iron Disc & Actuator
Wafer Style Body, Stainless Steel Disc & Actuator
Lug Style Body, Stainless Steel Disc & Actuator

Foot Valves and Strainers

Model No.	Description
60SE	Foot Valves 1/2" to 4"
333E	Foot Valves 1" to 1-1/4"
333DPE	Foot Valves 1" to 1-1/2"
333SS	Foot Valves 1" to 1-1/4"
190D	Foot Valves 1-1/2" to 2"
193D	Foot Valves 3/8" to 1/2"
190P	Foot Valves 3/8" to 3/4"

15 Prun's Island Drive, Glens Falls, New York 12801-4424

Phone: 1-800-833-2040 Fax: 518-791-9798

www.flomatic.com

104P	Foot Valves 3/4" to 1-1/4"	Sizes: 1-1/4" to 12"	C155EHF	Back Pressure Valve 1-1/4"
104PS	Foot Valves 1-1/4"	150#, 300#, Grooved NPT		15-75& 15-125 PSI spring
63	Foot Valves 2" to 6"	C000S Globe Style Control Valves		NPT, BSP
812XTF	Foot Valves 1/2" to 8"	Sizes: 1-1/4" to 12"		
812XFF	Foot Valves 1/2" to 8"	150#, 300# Grooved NPT (not	C150E	Pressure Reducing Valve 1/2" to 2"
80S6F	Foot Valves 1" to 10"	called out, listed under grooved)		15-75& 12-125 PSI Spring
302BT	Foot Valves 2" to 12"			Union, NPT, BSP, Pex
302ST	Foot Valves 2" to 12"	CFA000 Angle Control Valves 1-1/4" to 12"		
302S6	Foot Valves 2" to 12"	150#, 300# NPT		
Flomatic Strainers				
16	Strainers 1/4" to 2"	CFA000S Angle Control Valves	C152E	Cycle-Gard I 1/2" to 2"
	NPT, SW, BW, BSPP	Sizes: 1-1/4" to 12"		15-75& 12-125 PSI Spring
	Body Mtl: 316SS, WCB	150#, 300# NPT		Union, NPT, BSP,
	Mesh: 20, 40, 60, 80, 100	CF000 Globe Style Control Valves	PexC152EHF	Cycle-Gard I 1-1/4"
16FL	Strainers 1" to 2"	Sizes: 2-1/2" to 14"		15-75& 15-125 PSI spring
	150#, PN10	150#, 300#		NPT, BSP
	Body Mtl: 316SS, WCB	CF000S Globe Style Control Valves	CB152E	Cycle-Gard IV 1" to 1-1/4"
	Mesh: 20, 40, 60, 80, 100	Sizes: 2-1/2" to 14"		15-75 & 12-125 PSI Spring
6SE	Strainers 1/2" to 4"	150#, 300#		Union, NPT, BSP,
6SS	Strainers 1" to 1-1/4"		C3100E	Hydrostat 1" with or without side
46	Strainers 2" to 24"	Flomatic PRP Pressure Reducing Pilot		taps NPT, Pex
	SS or Plastic Screen	3/8" A,B,C,D Springs Stainless Steel or	C153	Cycle Gard 1" - 40, 50 or 60 psi
46T	Strainers 2" to 4"	Bronze	C154	Booster-It 3/4" to 2"
Y- Strainers	Strainers 3/8" to 12"	Flomatic BPP Back Pressure Pilot	CI	CI 1-1/2" to 2" , CI 2" Grooved
		3/8" A,B,C,D SS Springs		CI 3" to 8" 150#
		ACP Accelerator Pilot 1/2"		Flomatic Air Release
		CV80S6 Check Valve 3/8" to 1/2"		Model Miniair 3/8" to 1"
		FC4 Flow Control 3/8"		Flomatic Backflow
		C155E Back Pressure Valve 1" to 2"		Model GF8080S6 3/4" to 1"
		15-75 & 15-125 psi spring		
		Union, NPT, BSP		

Please, check on-line for the latest up-dates: http://pld.iapmo.org/file_info.asp?file_no=0006249



FLOMATIC® VALVES

High Quality Valves Built to Last . . .

Flomatic is a proud member of:



15 and Drive, Glens Falls, NY 12801-44
Phone: 1-800-833-2040 • Fax: 518-753-1978

www.flomatic.com

