

Bug Screen

Sizes 1/2" / 15 mm


Model 6BSE



Flomatic Corporation

Materials

Enviro Check®



Open Area: 30-40%
 Max Temp 180°F (82°C)
 Max Pressure 150psi (10bar)

Item #	Qty	Description	Material	ASTM
1	1	Body	Unleaded Bronze	C89833
2	1	Strainer	Polyethylene	-----
3	1	Nipple	Brass	-----

Dimensions

Size		Part #	A		B		C		D		Weight	
inch	mm		inch	mm	inch	mm	inch	mm	inch	mm	lbs	kg
1/2	15	4399E-1	1	25	1-1/32	26	2-5/16	59	3-1/16	78	1/8	.06

Depending on tightness of the nipple "D" will vary

Flomatic Corporation can accept no responsibility for possible errors in catalogues, brochures and other printed material. Flomatic Corporation reserves the right to alter its products without notices. This also applies to product already agreed. All trademarks in this material are property of the respective companies. All right reserved. ©2011 Flomatic Corporation. The drawings & information on this drawing sheet are the sole & exclusive property of Flomatic Corporation. Any reproduction, distribution, display or use of these drawings or information in whole or in part without written authorization of Flomatic Corporation is strictly prohibited.



October 26, 2015
 Dwg No: S4399BSE Rev 0

FLOMATIC CORPORATION
 GLENS FALLS, N.Y. 12801
 PHONE (518) 761-9797
 FAX (518) 761-9798

Bug Screen

Model 6BSE




Flomatic Corporation

Sizes 1" & 2" / 25 mm & 50 mm

Materials

Enviro Check®



Open Area: 35-50%
 Max Temp 180°F (82°C)
 Max Pressure 250psi (18bar)

Item #	Qty	Description	Material	ASTM
1	1	Body	Unleaded Bronze	C89833
2	1	Screen	Stainless Steel	18-8
3	2	Screw	Stainless Steel	18-8
4	1	Cap	Polycarbonate	-----
5	1	Nipple	Brass	-----

Dimensions

Size		Part #	A		B		C		D		Weight	
Inch	mm		inch	mm	inch	mm	inch	mm	inch	mm	lbs	kg
1	25	4301E-1	1-29/32	49	1-25/32	45	4-59/64	125	6-3/32	155	19/32	.27
2	50	4304E-1	3-3/64	77	2-19/32	66	5-3/4	146	7-11/32	187	2-13/32	1.09

Depending on tightness of the nipple "D" will vary

Patent # 4,971,093

Flomatic Corporation can accept no responsibility for possible errors in catalogues, brochures and other printed material. Flomatic Corporation reserves the right to alter its products without notices. This also applies to product already agreed. All trademarks in this material are property of the respective companies. All right reserved. ©2015 Flomatic Corporation. The drawings & information on this drawing sheet are the sole & exclusive property of Flomatic Corporation. Any reproduction, distribution, display or use of these drawings or information in whole or in part without written authorization of Flomatic Corporation is strictly prohibited.



October 27, 2015
 Dwg No: S4301-4BSE Rev: 0

FLOMATIC CORPORATION
 GLENS FALLS, N.Y. 12801
 PHONE (518) 761-9797
 FAX (518) 761-9798

Bug Screen


Sizes 3" / 75 mm

Model 6BSE **FLOMATIC®**

Flomatic Corporation

Material

Enviro Check®



Open Area: 35-50%
Max Temp 180°F (82°C)
Max Pressure 250psi (18bar)

Item #	Qty	Description	Material	ASTM
1	1	Body	Unleaded Bronze	C89833
2	6	Screw	Stainless Steel	18-8
3	1	Screen	Stainless Steel	18-8
4	1	Cap	Unleaded Bronze	C89833
5	1	Nipple	Brass	-----

Dimensions

Size		Part #	A		B		C		D		Weight	
Inch	mm		Inch	mm	Inch	mm	Inch	mm	Inch	mm	lbs	kg
3	80	4306E-1	4-9/16	116	3-13/32	97	9-9/16	243	11-3/16	284	7.2	3.3

Depending on the tightness of the nipple "D" will vary

Fromatic Corporation can accept no responsibility for possible errors in catalogues, brochures and other printed material. Fromatic Corporation reserves the right to alter its products without notices. This also applies to product already agreed. All trademarks in this material are property of the respective companies. All right reserved. ©2015 Fromatic Corporation. The drawings & information on this drawing sheet are the sole & exclusive property of Fromatic Corporation. Any reproduction, distribution, display or use of these drawings or information in whole or in part without written authorization of Fromatic Corporation is strictly prohibited.