

IAPMO RESEARCH AND TESTING, INC.

5001 East Philadelphia Street, Ontario, California 91761-2816 • (909) 472-4100 Fax (909) 472-4244 • www.iapmo.org



NSF/ANSI 61

CERTIFICATE OF LISTING

IAPMO Research and Testing, Inc. is a product certification body which tests and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO Research and Testing, Inc. of the product acceptance by Authorities Having Jurisdiction.

The most updated information on this Certificate of Listing is available online at pld.iapmo.org

Effective Date: November 2014 -Rev. 8/21/2015- Void After: November 2015

Product: Drinking Water System Components - Health Effects File No. N-7060

Issued To: Flomatic Corporation
15 Pruyns Island Drive
Glens Falls, NY 12801

Identification: Each product shall be permanently and legibly marked with the manufacturer's name or trademark. The product may also be marked with the standard designation "NSF/ANSI 61".

Characteristics: Materials or products that come into contact with drinking water and/or drinking water treatment chemicals. Products and materials may include process media, protective materials, joining and sealing materials, pipes and related products, mechanical devices used with treatment/transmission/distribution systems, and mechanical plumbing devices. To be installed in accordance with the manufacturer's instruction. Lead free requirements are addressed under a separate certificate of listing.

Products listed on this certificate have been tested by an IAPMO R&T recognized laboratory. This recognition has been granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.

Products are in compliance with the following standard(s):


Chairman, Product Certification Committee


CEO, The IAPMO Group



This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of the Product Certification Committee, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO Research and Testing, Inc. Any alteration of this certificate could be grounds for revocation of the listing.

IAPMO RESEARCH AND TESTING, INC.
CERTIFICATE OF LISTING

NSF/ANSI 61

Page 2

-Rev. 8/21/2015-

Void After: November 2015

Product: Drinking Water System Components - Health Effects

File No. N-7060

Issued To: Flomatic Corporation

NSF/ANSI 61-2012

IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING

NSF/ANSI 61

Page 3

-Rev. 8/21/2015-

Void After: November 2015

Product: Drinking Water System Components - Health Effects

File No. N-7060

Issued To: Flomatic Corporation

MODELS:

<u>Model No.</u>	<u>Description</u>
402BT	Wafer style check valves 2" to 12"
812X	Wafer style check valves 2" to 8"
888	Wafer style check valves 2" to 10"
888	2" 2434
	2-1/2" 2432
	3" 2435
	4" 2436
	6" 2437
	8" 2438
	8" 2438
	10" 2439
C150E	the 1/2" thru 1-1/4" all model and configurations to current listings, All parts are the same except the body threads Includes part numbers:
C150099E	NPT female threads X union male threads; 15-75psi spring range
C150099ET	NPT female threads X NPT union male threads; 15-75psi spring range
C150099EBSP	BSPT female threads X union male threads; 15-75psi spring range
C150000E	NPT female threads X union male threads; 15-75psi spring range
C150000ET	NPT female threads X NPT union male threads; 15-75psi spring range
C150000EBSP	BSPT female threads X union male threads; 15-75psi spring range
C150001E	NPT female threads X union male threads; 15-75psi spring range
C150001ET	NPT female threads X NPT union male threads; 15-75psi spring range
C150001EBSP	BSPT female threads X union male threads; 15-75psi spring range
C150002E	NPT female threads X union male threads; 15-75psi spring range
C150002ET	NPT female threads X NPT union male threads; 15-75psi spring range
C150002EBSP	BSPT female threads X union male threads; 15-75psi spring range
C1501990E	NPT female threads X union male threads; 15-75psi spring range
C150199ET	NPT female threads X NPT union male threads; 15-75psi spring range
C150199EBSP	BSPT female threads X union male threads; 15-75psi spring range
C150100E	NPT female threads X union male threads; 15-75psi spring range
C150100ET	NPT female threads X NPT union male threads; 15-75psi spring range
C150100EBSP	BSPT female threads X union male threads; 15-75psi spring range
C150101E	NPT female threads X union male threads; 15-75psi spring range
C150101ET	NPT female threads X NPT union male threads; 15-75psi spring range
C150101EBSP	BSPT female threads X union male threads; 15-75psi spring range
C150102E	NPT female threads X union male threads; 15-75psi spring range
C150102E	NPT female threads X NPT union male threads; 15-75psi spring range
C150102EBSP	BSPT female threads X union male threads; 15-75psi spring range

Note: Nitrosamine requirement effective date 12/31/15